


1 引言

有些图像难以想象，故画图辅助理解



1.1 三叶玫瑰线



```
代码：  
t = linspace(0, pi, 1000); % 将 (0~pi) 1000等分  
r = cos(3*t);  
x = r .* cos(t); y = r .* sin(t);  
  
h1 = plot(x(1), y(1)); hold on;
```

```
h2 = plot(x(1), y(1), 'o');  
axis([-1 1.2 -1 1]);  
  
for i = 10 : 10: 1000  
    set(h1, 'xdata', x(1:i), 'ydata', y(1:i));  
    set(h2, 'xdata', x(i), 'ydata', y(i));  
    drawnow; pause(0.03);  
end
```

1.2 摆线



代码:



```
t = linspace(0,4*pi, 1000);
X = t - sin(t); Y = 1 - cos(t);

h1 = plot(X(1), Y(1)); hold on;
h2 = plot(X(1), Y(1), 'o');

axis([0 4*pi -2 3]);

for i= 10 : 10 : 1000
    set(h1, 'xdata', X(1:i), 'ydata', Y(1:i));
    set(h2, 'xdata', X(i), 'ydata', Y(i));
    drawnow; pause(0.05);
end
```


1.3 螺旋线



```
代码：  
Z = linspace(0,10*pi,1000);  
X = sin(Z); Y = cos(Z);  
  
h1 = plot3(X(1), Y(1), Z(1)); hold on;  
h2 = plot3(X(1), Y(1), Z(1), 'o');  
axis([-1 1 -1 1 0 40]);  
  
for i = 10 : 10 : 1000  
    set(h1, 'xdata', X(1:i), 'ydata', Y(1:i), 'zdata', Z(1:i));  
end
```

```
set(h2, 'xdata', X(i), 'ydata', Y(i), 'zdata', Z(i));  
drawnow; pause(0.02);  
end
```

1.4 摆线的形成



```
代码：  
% 画底  
plot([-2 15],[0 0]); hold on;
```

```

% 画圆
t = linspace(0,2*pi,10000);
X1 = cos(t); Y1 = 1 + sin(t);
h1 = plot(X1, Y1);

% 画摆线
t = linspace(0,4*pi,10000);
X2 = t - sin(t); Y2 = 1 - cos(t);
h2 = plot(X2(1),Y2(1));
h3 = plot(X2(1),Y2(1),'o');

% 连接圆心和点
h4 = plot([0 0],[1 0]);



axis([-2 15 -5 8]);

for i = 100 : 100 : 10000
    set(h1,'xdata',X1+t(i));
    set(h2,'xdata',X2(1:i),'ydata',Y2(1:i));
    set(h3,'xdata',X2(i),'ydata',Y2(i));
    set(h4,'xdata',[t(i) X2(i)],'ydata',[1 Y2(i)])
    drawnow; pause(0.02);
end

```

1.5 莫比乌斯带

有意思的不可定向曲面



```
代码：  
% 画底  
plot([-2 15],[0 0]); hold on;  
  
% 画圆  
t = linspace(0,2*pi,10000);  
X1 = cos(t); Y1 = 1 + sin(t);  
h1 = plot(X1, Y1);  
  
% 画摆线  
t = linspace(0,4*pi,10000);  
X2 = t - sin(t); Y2 = 1 - cos(t);
```


```
h2 = plot(X2(1),Y2(1));
h3 = plot(X2(1),Y2(1),'o');

% 连接圆心和点
h4 = plot([0 0],[1 0]);

axis([-2 15 -5 8]);

for i = 100 : 100 : 10000
    set(h1,'xdata',X1+t(i));
    set(h2,'xdata',X2(1:i),'ydata',Y2(1:i));
    set(h3,'xdata',X2(i),'ydata',Y2(i));
    set(h4,'xdata',[t(i) X2(i)],'ydata',[1 Y2(i)])
    drawnow; pause(0.02);
end
```


1.6 旋转体的形成



```
代码：  
n = 100-1; % 将圆 n-1 等分  
m = 100; % 将高 m 等分  
  
t = linspace(-1, 1, m);  
  
r1 = 2 + sqrt(1 - t.^2);  
[X1 Y1 Z1] = cylinder(r1, n);  
h1 = surf(X1(:,1:2), Y1(:,1:2), Z1(:,1:2)); hold on;  
  
r2 = 2 - sqrt(1 - t.^2);
```


```
[X2 Y2 Z2] = cylinder(r2, n);
h2 = surf(X2(:,1:2), Y2(:,1:2), Z2(:,1:2));

axis([-4 4 -4 4 0 2]);
shading interp
alpha(h1, 0.35);
alpha(h2, 0.35);

view(-60, 60);

for i = 2 : 100
    set(h1, 'xdata', X1(:,1:i), 'ydata', Y1(:,1:i), 'zdata', Z1(:,1:i));
    set(h2, 'xdata', X2(:,1:i), 'ydata', Y2(:,1:i), 'zdata', Z2(:,1:i));
    drawnow;
end
```

1.7 曲面逼近



剖面逼近不一定有效

```
代码：  
% 画圆柱  
[X Y Z] = cylinder(1, 50);  
Z = Z * 2;  
surf(X, Y, Z); hold on;  
shading interp  
alpha(0.25);  
  
% 画剖面  
n = 5; % 将圆 n 等分  
m = 6; % 将高 m 等分  
  
for i = 1 : m+1  
    for j = 1 : n + 1
```

```

        X(i,j) = cos((2 * j + mod(i,2)) * pi / n);
        Y(i,j) = sin((2 * j + mod(i,2)) * pi / n);
        Z(i,j) = 2 * (i-1) / m;
    end
end

for i = 1 : m
    for j = 1 : n
        x = [X(i,j) X(i,j+1) X(i+1,j+mod(i,2))];
        y = [Y(i,j) Y(i,j+1) Y(i+1,j+mod(i,2))];
        z = [Z(i,j) Z(i,j+1) Z(i+1,j+mod(i,2))];
        fill3(x, y, z, 'g');
    end
end

for i = 2 : m + 1
    for j = 1 : n
        x = [X(i,j) X(i,j+1) X(i-1,j+mod(i,2))];
        y = [Y(i,j) Y(i,j+1) Y(i-1,j+mod(i,2))];
        z = [Z(i,j) Z(i,j+1) Z(i-1,j+mod(i,2))];
        fill3(x, y, z, 'y');
    end
end
end

```